




BOSTON

Ottimo
ceramiche



Discover elegance in every step with our BOSTON

Immerse yourself in a world of sophistication with our BOSTON., meticulously crafted color body porcelain tiles. Available in three soft and elegant stone effect hues, these tiles redefine your space, transforming it into a haven of timeless beauty. Elevate your surroundings with the allure of our Boston and experience luxury.

A photograph of a light beige tile floor with a wooden table and decorative objects. The floor is composed of large, square tiles with a subtle, natural stone texture. In the lower right corner, a portion of a wooden table with a curved edge is visible. On the table, there is a small, light-colored ceramic vase filled with dried flowers, a dark, textured object, and a small, dark, curved object. The overall aesthetic is modern and minimalist.

Ottimo

Boston White




Ottimo

Boston Ivory




Ottimo
Ceramica

Boston Gray



BSTo1 - Boston White



BSTo2 - Boston Ivory



BSTo3 - Boston Gray

Made in USA



SPECIFICATIONS

Color	Item	Finish	Size	Thickness	Edge
White	BST01-2	Matte	30 x 60 cm	8.5 mm	Rectified
	BST01JR		60 x 120 cm		
	BST01JR-R11	R11			
Ivory	BST02-2	Matte	30 x 60 cm		
	BST02JR		60 x 120 cm		
	BST02JR-R11	R11			
Gray	BST03-2	Matte	30 x 60 cm		
	BST03JR		60 x 120 cm		
	BST03JR-R11	R11			

APPLICATIONS

	Floors	Walls	Backsplash	Pools/Spas
Residential	•	•	•	•
Commercial	•	•	•	•

TEST RESULTS

DCOF Rating	PEI Rating	Water Absorption	Breaking Strength	Scratch Resistance	Chemical Resistant	Frost Resistant
≥0.42	3	≤0.5%	≥250 lbs	N/A	Unaffected	Resistant

*Results 0.60 (Matte) / 0.65 (R11)

PACKAGING

Size (Nominal)	Pcs/Box	Sqft/Box	Box/Pallet	Sqft/Pallet	Lbs/Box	Lbs/Pallet
12x24	8	15.5	32	558	61	2236
24x48	2	15.5	36	496	61.4	1932.48

A modern outdoor pool area with a lounge chair, palm trees, and a house in the background. The pool is surrounded by a light-colored stone tile deck. In the background, there is a white house with large glass windows and a balcony. Several palm trees are planted around the pool area. A green inflatable ring is floating in the pool. A lounge chair with a green towel and a tray of drinks is in the foreground.

BOSTON PAVER

Ottimo



Ottimo
ceramiche

Boston White Paver




Ottimo
ceramiche



Boston Gray Paver

BOSTON Outdoor Paver


Color Body Porcelain Paver




BSTo1PV - Boston White




BSTo2PV - Boston Ivory



BSTo3PV - Boston Gray





SPECIFICATIONS

Collection	Color	Item	Exact Size	Thickness	Finish	Edge
Boston	White	BST01PV	40x80 cm	20 mm	Matte	Pressed
	Ivory	BST02PV				
	Gray	BST03PV				

TEST RESULTS

	Established Limits	Performances	Norms
Water absorption	≤ 0.5%	~0,1%	ASTM C 373
Breaking strength (1)	≥ 250 lbf.	~3000lbf.	ASTM C 648
Frost resistance	Resistant	Resistant	ASTM C 1026
Resistance to thermal shock	Resistant	Resistant	ASTM C 484
Average breaking load for raised floor installation (2)		Classe1	EN 12825*
		16"x32" : > 4kN	
		24"x24" : > 4kN	
		Classe2	
		16"x48" : > 6kN	
Mechanical strength (3)		16"x32" : U4	EN 1339-F*
		24"x24" : U7	
Slip resistance (DCOF)	≥ 0.42	≥0.60	ANSIA326.3: 2017 release 2019. (DCOF)
Chemical resistance	As reported	Class: A	ASTM C 650
Stain resistance	As reported	Class: A	ASTM C 1378

*Tests carried out on a different type from that for which the standard is issued

(1) It states the resistance of a sample piece, leaning on three spots, to a concentrated load placed in the middle.

(2) It shows the resistance, on raised floor laying as suggested by the catalogue, to a the concentrated load applied in the middle.

(3) It shows the breaking resistance through bending of the product in full size. The load is applied through a horizontal cylinder placed in the middle.

PACKAGING

Size	Pcs/box	Sqft/box	Box/pallet	Sqft/pallet	Lbs/box	Lbs/Pallet
16x32	2	6.89	24	165.36	64.66	1552