



Style Name	Diagram
Collection Name	Cross Section
Style Number	J0182
Product Type	Soft Surface - Philadelphia
Construction	Multi-Level Pattern Loop
Fiber	EcoSolution Q[®] Nylon
Dye Method	Solution Dyed
Primary Backing	Synthetic
Secondary Backing	ClassicBac[®]
Traffic Rating	Heavy
Protective Treatments	SSP[®] Shaw Soil Protection

	U.S.	Metric
Product Size	12 ft	3.66 m
Gauge	1/10 in	39.37 per 10 cm
Stitches	12 per in	47 per 10 cm
Finished Pile Thickness	0.144 in	3.66 mm
Average Density	5500 oz/yd³	
Total Thickness	0.277 in	7.04 mm
Tufted Weight	22 oz/yd²	745.9 g/m²
Pattern Repeat	0.1 ft W X 0.2 ft L	3.02 cm W X 6.19 cm L
GSA Approved Product	Yes	



Recommended Installation Methods

Direct Glue

Performance Testing

Pill Test	Pass
Radiant Panel	Class I
NBS Smoke	Less than 450
Electrostatic Propensity	Less than 3.5 kv
CRI [®] Greenlabel Plus	GLP8472
ADA Compliance	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

Broadloom 10 year Commercial Limited Warranty with Stain and Color

Environmental

Recycled Content	Pre-consumer - <1%, Post-consumer - 0%
Environmental Product Declaration (EPD)	3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804
Health Product Declaration (HPD)	Disclosed to 1,000 ppm
Cradle to Cradle Certified®	Certified Silver Level (Version 3.1)
NSF 140	Conforms to the NSF/ANSI 140 - 2019 Sustainability Assessment for Carpet
Indoor Air Quality	CRI® Green Label Plus (GLP8472)

Specifications are subject to nominal manufacturing variance.
Material supply and/or manufacturing processes may necessitate changes without notice.