



MARYLAND

SPC RIGID CORE



ABOUT

A creation inspired by our own ceramic tile concretes, rising from the vibrations of the Mid-Atlantic urban tradition, Maryland exemplifies contemporary design. A concrete look with an array of color, touching on the natural coastal sands and warm greys of the urban landscape. These intentionally understated shades propel the philosophy of minimalism to the forefront of Maryland's design. This marked collection demonstrates a modern sophistication in any space.

COLORS



DUNE



TAUPE



GREY



GRAPHITE

PRODUCT INFO

Construction	SPC Rigid Core
Sizes	12" x 24" & 18" x 36"
Total Thickness	6.5 mm
Wear Layer	20mil
Protective Coating	UV, Stain, & Scratch
Attached Pad	1.5 mm High Density IXPE Sound Abatement SPC
IIC	69
Edge Profile	Painted Bevel
Installation Method	Rigid Core Floating Click
Installation Layout	Standard or a minimum 6" short-joint stagger
Floor Score Certified	Yes
Ortho-Phthalate Free	Yes
Warranty	Commercial 10 Year Limited, Residential Lifetime Limited

Size & Tile Type	12" x 24" SPC	18" x 36" SPC
Square Feet Per Carton	20 f ²	27 f ²
Pieces Per Carton	10 pcs	6 pcs
Pounds Per Carton	41.23 lbs	55.6 lbs

COORDINATING TRIM



T-MOLDING



REDUCER



END CAP



OVERLAP STAIR NOSE



FLUSH STAIR NOSE

PRODUCT SKUS

MARYLAND	DUNE	TAUPE	GREY	GRAPHITE
12" x 24" SPC	EL490	EL500	EL510	EL520
18" x 36" SPC	EL492	EL502	EL512	EL522
T-Molding	EL498	EL508	EL518	EL528
Reducer	EL497	EL507	EL517	EL527
End Cap	EL493	EL503	EL513	EL523
Overlap Stair Nose	EL495	EL505	EL515	EL525
Flush Stair Nose	EL494	EL504	EL514	EL524

MARYLAND

LOOSE LAY



ABOUT

A creation inspired by our own ceramic tile concretes, rising from the vibrations of the Mid-Atlantic urban tradition, Maryland exemplifies contemporary design. A concrete look with an array of color, touching on the natural coastal sands and warm greys of the urban landscape. These intentionally understated shades propel the philosophy of minimalism to the forefront of Maryland's design. This marked collection demonstrates a modern sophistication in any space.

COLORS



DUNE



TAUPE



GREY



GRAPHITE


PRODUCT INFO

Construction	Loose Lay
Sizes	18" x 36"
Total Thickness	5.0mm
Wear Layer	20mil
Protective Coating	UV, Stain, & Scratch
Attached Pad	N/A
IIC	60
Edge Profile	Micro Bevel
Installation Method	Loose Lay, Perimeter Glue, or Full Spread Adhesive
Installation Layout	Standard or a minimum 6" short-joint stagger
Floor Score Certified	Yes
Ortho-Phthalate Free	Yes
Warranty	Commercial 10 Year Limited, Residential Lifetime Limited
Size & Tile Type	18" x 36" LL
Square Feet Per Carton	26.97 f ²
Pieces Per Carton	6 pcs
Pounds Per Carton	44.54 lbs

COORDINATING TRIM



T-MOLDING



REDUCER



END CAP



OVERLAP STAIR NOSE



FLUSH STAIR NOSE

PRODUCT SKUS

MARYLAND	DUNE	TAUPE	GREY	GRAPHITE
End Cap	EL493	EL503	EL513	EL523
Flush Stair Nose	EL494	EL504	EL514	EL524
Overlap Stair Nose	EL495	EL505	EL515	EL525
Reducer	EL497	EL507	EL517	EL527
T-Molding	EL498	EL508	EL518	EL528



PRODUCT

Construction	SPC Rigid Core	Loose Lay
Sizes	9" x 60", 18" x 36"	18" x 36"
Total Thickness	6.5 mm SPC	5.0mm
Wear Layer	20 mil	20mil
IIC	69 SPC	60
Protective Coating	UV, Stain, & Scratch	UV, Stain, & Scratch
Attached Pad	1.5 mm High Density IXPE Sound Abatement SPC	-
Edge Profile	Micro Bevel	Micro Bevel
Installation Method	Rigid Core Floating Click SPC	Loose Lay, Perimeter Glue, or Full Spread Adhesive
Installation Layout	Standard or a minimum 6" short-joint stagger	Standard or a minimum 6" short-joint stagger

PERFORMANCE

Floor Score Certified	Yes
Ortho-Phthalate Free	Yes
Warranty	Commercial 10 Year Limited Residential Lifetime Limited

PACKAGING

	12" x 24" SPC	18" x 36" SPC	18" x 36" LL
Square Feet Per Carton	20 f ²	27 f ²	26.97 f ²
Pieces Per Carton	10 pcs	6 pcs	6 pcs
Pounds Per Carton	41.23 lbs	55.6 lbs	44.54 lbs

COORDINATING TRIM



MARYLAND	DUNE	TAUPE	GREY	GRAPHITE
End Cap	EL493	EL503	EL513	EL523
Flush Stair Nose	EL494	EL504	EL514	EL524
Overlap Stair Nose	EL495	EL505	EL515	EL525
Reducer	EL497	EL507	EL517	EL527
T-Molding	EL498	EL508	EL518	EL528