NATURAL ELEMENTS

NATURAL ELEMENTS
When an accent wall is calling, Natural Elements shows up. Whether it's a clean, geometric vibe, or an elegant, waterjet style, there is something for everyone with this collection. Offered in eight colors and patterns, the mixture of stone and glass compliments without being too loud.

THE DETAILS:

- Waterjet glass and stone mosaics in unique shapes and patterns
- Neutral colors combine for bold patterns

STYLE IT:

- Powder room or kitchen backsplash for a unique focal point
- Bathroom vanity for a pop of color
- Bar backsplash for a trendy vibe

Photo features Skyline Chevron

NATURAL ELEMENTS

Waterjet Glass and Stone Mosaics

lungarno CERAMICS

COLOR AVAILABILITY

Lace Leaf
NELEAF7904

Dove Leaf
NELEAF7905

Snowfall Teardrop
NETEAR7804

Mist Teardrop
NETEAR7805

Mink Hexagon Leaves
NEHEXLEAF02

Blue Heron Hex Leaves
NEHEXLEAF8004

Skyline
NECHEV305

Cashmere Cube
NECUBEA1

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	12.00" x 11.75"	5/16"	10	9.80
	N/A	11.13" x 11.88"	5/16"	10	9.20
	N/A	11.13" x 11.88"	5/16"	11	10.78
	N/A	12.00" x 10.88"	5/16"	10	9.00
	N/A	11.13" x 9.75"	5/16"	11	8.14

NATURAL ELEMENTS

Waterjet Glass and Stone Mosaics

TECHNICAL SPECIFICATIONS — MOSAICS

		MOSAICS
	Material Type	Glass and Stone
	Finish	Glossy / Matte
	Edge	Cut
	Color Variation	V3
	Printing	N / A
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	5/16"
	Shower Pan	No
	Pool Lining*	No
	Fireplace Surround*	Yes
	Frost Resistant	No

* Proper installation methods must be followed per project. Please reference TCNA for more information.

**Raindrop Mosaic suitable for residential floor installations only.

TEST RESULTS — MOSAICS

		MOSAICS
	Water Absorption (C373)	N / A
	Breaking Strength (C648)	N / A
	Surface Abrasion (MOHS)	N / A
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.